Item #: 178SSPT48C		Project:			
Qty:		Date:		Approval:	

Avantco SS-PT-48-C 46 3/4" 2 Door Stainless Steel Cutting Top Refrigerated Sandwich Prep Table with Extra Deep Cutting Board

Item #178SSPT48C



REFRIGERATION NTCO





- Top accommodates (12) 1/6 size, 6" deep food pans
- Removable 15" extra deep, 3/4" thick cutting board provides 3 1/2" more depth than standard board
- Digital control with auto defrost
- Stainless steel exterior and interior; foamed-in-place polyurethane insulation
- 115V; eco-friendly R290 refrigerant; 1/2 hp; 2.4 Amps

Certifications







Technical Data

Width	46 3/4 Inches		
Depth	31 Inches		
Height	42 3/8 Inches		
Cutting Board Width	46 3/4 Inches		
Interior Width	42 7/8 Inches		
Cutting Board Depth	15 Inches		
Interior Depth	23 3/4 Inches		
Interior Height	23 1/2 Inches		
Work Surface Height	35 1/4 Inches		
Amps	2.4 Amps		
Hertz	60 Hertz		
Phase	1 Phase		
Voltage	115 Volts		
Wattage	276 Watts		
1/6 Size Pan Capacity	12 Pans		
Access Type	Doors		
Capacity	12 cu. ft.		
Casters	With Casters		
Color	Silver		
Compressor Style	Side / Rear Breathing		
Cutting Board Thickness	3/4 Inches		
Door Style	Swing		
Door Type	Solid		
Exterior Material	Stainless Steel		
Hinge Location	Left/Right		
Horsepower	1/2 HP		
Individual Shelf Capacity	90 lb.		
Interior Material	Stainless Steel		
Number of Doors	2 Doors		
Number of Shelves	2 Shelves		
Plug Type	NEMA 5-15P		
Refrigerant Type	R-290		
Style	ADA Height Counter Height		
Temperature Range	33 - 40 Degrees F		
Тор Туре	Cutting Top Standard Top		
Total BTU	1285 BTU		
Туре	Prep Refrigeration		



Notes & Details

Optimize your back-of-house operations with this Avantco SS-PT-48-C 48" 2 door stainless steel refrigerated sandwich prep table, and keep up with customer demands. Whether used in a university, sub shop, or hospital, the unit is sure to help streamline the sandwich prep process with its convenient features and capacity. Its top accommodates up to (12) 1/6 size food pans up to 6" deep (sold separately). These are great for holding common sandwich or salad toppings, from eggs and cheese to green pepper or ham. Plus, a lift-up lid encloses the top to maintain safe temperatures. A full-length cutting board, which is 15" deep, is mounted to the table surface, providing maximum space for slicing ingredients and assembling orders.

Beneath the prep top, additional refrigerated storage space is perfect for storing back-up ingredients, such as deli meat and cheese, as well as less common toppings. Two epoxy-coated shelves are included and can each accommodate up to 90 lb. of weight, helping to organize your assorted supplies.

High quality performance is made possible by the unit's 1/2 hp refrigeration system, which maintains temperatures between 33 and 40 degrees Fahrenheit. It does this by circulating eco-friendly R290 refrigerant. This specialized refrigerant has an ozone depletion potential (ODP) of 0 and a global warming potential (GWP) of 3, making it an environmentally-responsible choice for your business.

A set of 4" casters makes it easy to move when needed for cleaning and maintenance. The construction of this unit is designed with commercial use in mind. It features a 430 type stainless steel exterior and 304 type stainless steel interior, which are fortified with foamed-in-place polyurethane insulation for proper temperature retention. For operation, the prep table requires a 115V electrical connection.

A WARNING: This product can expose you to chemicals including lead, which are known to the State of California to cause cancer, birth defects, or other reproductive harm. For more information, go to www.p65warnings.ca.gov.